Botanical 1935 Mallorca

Isle Royale Hotel

Sydney, N.S.

Gray Herbarium
Harvard University

2-23-35 Arum muscivorum L.f. Ku I 352; Bar 470; Coste III 433; Fl. Formentor Observed but not collected. 1st time ever seen in fl. v 1st fl. of season.

2-27-35 Leucojum aestivum L. var pulchellum Knoche. Ku I 385 = L. Hernandezii Camb Bar 451; Willk Tab. XCIII A. = L. pulchellum Salisb Coste III 374 Fl. Formentor. Brought by E.W.K. from a place specially shown to her. (Box)

#900
2-27-35 Paeonia velutina Pourr. Ku II 212 = Thymelea —— Meis Bar. 406 Fl. Brought by E.W.K. from region of Leucojum (Seems to E.W.K. different from plants found elsewhere in the Mallorca.)

#901
3-13-35 Paeonia Corallina Retz forma leiocarpa Ku I 474 = P. — Retz var. Cambessedesii Willk Bar 18 = P. Cambessedesii Willk. Willk Tab L XV A Fl. Formentor. (Fine show)

3-19-35 Thapsia villosa L. Bar 197, Coste II 166, Box 125 (See T. garganica L. forme decussata (DC) Ku II 352 Leo only. Formentor Frequent. Plants now showing

1-3 lvs. of which the later lvs are finely cut (as in all Costa), grayish & soft to touch because of the fine spreading pubescence (underside glaucous, & glabrous except on mid-rib.) The first lvs of the season however vary greatly from simple & almost entire, strap-shaped and 6 to more mm wide, to deeply crenate, & soon to 1-pinnate with segments still wider than in the later lvs.  These first lvs look ± shiny & glabrous but microscopically are somewhat pubescent, esp. on the edges.

3-13-35 Buxus balearica Lamk Km II 165; Bar 421. Bud Collected by E.W.K. about 2 weeks previous, Formentor. Found by E.W.K on the Roca Blanca & toward the shore to the north of the R.B. in well established stands, and also "acres" of it on the ridge west of Cala San Vicens C. Pollensa.

3-13-35 Erigeron canadense L. Km II 448; Bar 239

Dead stalks but unmistakable Formentor.

3-18-35 Polygonum maritimum L. Km I 435; Bar 405; Costa III 208; Br H 308; Bon 274
Fl Formentor (Beach west of Hotel). Sure.

#902
4-18-35 Buxus balearica Lamk (see 3-13-35)
Fl. Formentor. Collected by E. W. K.

903
4-19-35 Viola Jaubertiana Marés Bar 568
= V. odorata L. var Jaubertiana Knoche Kn II 209
Fl & fr. Torch Blanc

904
4-19-35 Erodium chamaedryoides L'Her
Knitt 131 = E. Reicardi DC. Bar 88. Fl. Torch Blanc
(E. W. K. reports it common at Formentor)

4-21-35 Heleocharis palustris R. Br. Kn I 344
= Eleocharis — R. Br. Bar 477, G 183, = Scirpus — L.
Bon 327, B & H 500, Coste III 478. Bellver (in water hole
near middle of north wall) Fl.

4-26-35 Polycarpon peploides DC. Kn I 459; Bar 198;
Bon 108; Coste II 98 Fl. From E. W. K. from Formentor
(Barranco near Cap Catalunya & possibly
elsewhere) R. studies without microscope but
identity seems sure.

905
5-1-35 Primula acaulis Hill var alba Knoche
Kn II = P. vulgaris Huds var balearica Willk

Bar 352. Fl. Collected by F.W.K. Fls. certainly not pure white (def. pale yellow when dried) lvs and calyx def. less hairy than the type and petioles hardly winged at all.

5-8-35 Papaver dubium L.

Fl & fr. Weeding garden } F.W.K. Can Cueg. Pollensa.
Shape of pod, color of anthers (not yellow) } all made this ident. certain. This is 1st time P.B.T. is sure of having found P. dubium in Mallorca.